

Interview Questions

HOME Interview Questions MCQs *LAB VIVA CLASS NOTES SEMINAR TOPICS
ONLINE TEST GATE CAT Internship ABOUT US Privacy Policy

[Home](#) » [SURVEYING Questions](#) » **300+ TOP MOST SURVEYING Interview Questions and Answers – Civil Engineering Objective Type Questions**

300+ TOP MOST SURVEYING Interview Questions and Answers – Civil Engineering Objective Type Questions

Search
Here for
Skill

The Card
a Canstar
award wir
years in a

Integrated Ever

Ingest all the data you

Scalyr

SURVEYING Multiple Choice Questions :-

1. During chaining along a straight line, the . leader of the party has 4 arrows in his hand while the follower has 6. Distance of the follower from the starting point is

- a) 4 chains
- b) 6 chains
- c) 120 m
- d) 180m

Ans: b



2. A metallic tape is made of


- a) steel
- b) invar
- c) linen
- d) cloth and wires

Ans: d

3. For a well-conditioned triangle, no angle should be less than

- a) 20°
- b) 30°
- c) 45°
- d) 60°

Ans: b



Cases, Protectors & More
Mobile Mate

4. The angle of intersection of the two plane mirrors of an optical square is

- a) 30°
- b) 45°
- c) 60°
- d) 90°

Ans: b

5. The allowable length of an offset depends upon the

- a) degree of accuracy required
- b) method of setting out the perpendiculars and nature of ground
- c) scale of plotting
- d) all of the above

Ans: d



**SURVEYING Multiple Choice
Questions**

6. Which of the following angles can be set out with the help of French cross staff?

- a) 45° only
- b) 90° only
- c) either 45° or 90°
- d) any angle

Ans: c

7. Which of the following methods of offsets involves less measurement on the ground?

- a) method of perpendicular offsets
- b) method of oblique offsets
- c) method of ties
- d) all involve equal measurement on the ground

Ans: a

8. The permissible error in chaining for measurement with chain on rough or hilly ground is

- a) 1 in 100
- b) 1 in 250

- c) 1 in 500
- d) 1 in 1000

Ans: b

9. The correction for sag is

- a) always additive
- b) always subtractive
- c) always zero
- d) sometimes additive and sometimes subtractive

Ans: b

10. Cross staff is an instrument used for

- a) measuring approximate horizontal angles
- b) setting out right angles
- c) measuring bearings of the lines
- d) none of the above

Ans: b

11. Normal tension is that pull which

- a) is used at the time of standardising the tape
- b) neutralizes the effect due to pull and sag
- c) makes the correction due to sag equal to zero
- d) makes the correction due to pull equal to zero

Ans: b

12. Which of the following is not used in measuring perpendicular offsets ?

- a) line ranger
- b) steel tape
- c) optical square
- d) cross staff

Ans: a

13. If the length of a chain is found to be short on testing, it can be adjusted by

- a) straightening the links
- b) removing one or more small circular rings
- c) closing the joints of the rings if opened out
- d) all of the above

Ans: a

14. The maximum tolerance in a 20 m chain is

- a) ± 2 mm
- b) ± 3 mm
- c) ± 5 mm
- d) ± 8 mm

Ans: c

15. For accurate work, the steel band should always be used in preference to chain because the steel band

- a) is lighter than chain
- b) is easier to handle
- c) is practically inextensible and is not liable to kinks when in use
- d) can be easily repaired in the field

Ans: c

16. The length of a chain is measured from

- a) centre of one handle to centre of other handle
- b) outside of one handle to outside of other handle
- c) outside of one handle to inside of other handle
- d) inside of one handle to inside of other handle

Ans: b

17. Select the incorrect statement.

- a) The true meridians at different places are parallel to each other.
- b) The true meridian at any place is not variable.
- c) The true meridians converge to a point in northern and southern hemispheres.
- d) The maps prepared by national survey departments of any country are based on true meridians.

Ans: a

18. If the true bearing of a line AB is $269^{\circ} 30'$, then the azimuth of the line AB is

- a) $0^{\circ} 30'$
- b) $89^{\circ} 30'$
- c) $90^{\circ} 30'$
- d) $269^{\circ} 30'$

Ans: c

19. In the prismatic compass

- a) the magnetic needle moves with the box
- b) the line of the sight does not move with the box
- c) the magnetic needle and graduated circle do not move with the box
- d) the graduated circle is fixed to the box and the magnetic needle always remains in the N-S direction

Ans: c

20. For a line AB

- a) the forebearing of AB and back bearing of AB differ by 180°
- b) the forebearing of AB and back bearing of BA differ by 180°
- c) both (a) and (b) are correct.
- d) none is correct

Ans: a

21. Local attraction in compass surveying may exist due to

- a) incorrect levelling of the magnetic needle
- b) loss of magnetism of the needle
- c) friction of the needle at the pivot
- d) presence of magnetic substances near the instrument

Ans: d

22. In the quadrantal bearing system, a whole circle bearing of $293^{\circ} 30'$ can be expressed as

- a) $W23^{\circ}30'N$
- b) $N66^{\circ}30'W$
- c) $S113^{\circ}30'N$
- d) $N23^{\circ}30'W$

Ans: b

23. The prismatic compass and surveyor's compass

- a) give whole circle bearing (WCB) of a line and quadrantal bearing

(QB) of a line respectively

- b) both give QB of a line and WCB of a line
- c) both give QB of a line
- d) both give WCB of a line

Ans: a

24. The horizontal angle between the true meridian and magnetic meridian at a place is called

- a) azimuth
- b) declination
- c) local attraction
- d) magnetic bearing

Ans: b

25. A negative declination shows that the magnetic meridian is to the

- a) eastern side of the true meridian
- b) western side of the true meridian
- c) southern side of the true meridian
- d) none of the above

Ans: b

26. If the magnetic bearing of the sun at a place at noon in southern hemisphere is 167° , the magnetic declination at that place is

- a) 77° N
- b) 23° S
- c) 13° E
- d) 13° W

Ans: c

27. The graduations in prismatic compass

- i) are inverted
- ii) are upright
- iii) run clockwise having 0° at south
- iv) run clockwise having 0° at north

The correct answer is

- a) (i) and (iii)
- b) (i) and (iv)
- c) (ii) and (iii)

d) (ii) and (iv)

Ans: a

28. Agate cap is fitted with a

- a) cross staff
- b) level
- c) chain
- d) prismatic compass

Ans: d

29. The temporary adjustments of a prismatic compass are

- i) Centering
- ii) Levelling
- iii) Focusing the prism

The correct order is

- a) (o, (iii), oo
- b) (o, (ii), (iii)
- c) (ii), (iii), o
- d) (in), (i), (ii)

Ans: b

30. Theodolite is an instrument used for

- a) tightening the capstan-headed nuts of level tube
- b) measurement of horizontal angles only
- c) measurement of vertical angles only
- d) measurement of both horizontal and vertical angles

Ans: d

31. The process of turning the telescope about the vertical axis in horizontal plane is known as

- a) transiting
- b) reversing
- c) plunging
- d) swinging

Ans: d

32. Size of a theodolite is specified by

- a) the length of telescope
- b) the diameter of vertical circle
- c) the diameter of lower plate

d) the diameter of upper plate

Ans: c

33. Which of the following is not the function of levelling head ?

- a) to support the main part of the instrument
- b) to attach the theodolite to the tripod
- c) to provide a means for leveling the theodolite
- d) none of the above

Ans: d

34. If the lower clamp screw is tightened and upper clamp screw is loosened, the theodolite may be rotated

- a) on its outer spindle with a relative motion between the vernier and graduated scale of lower plate
- b) on its outer spindle without a relative motion between the vernier and graduated scale of lower plate
- c) on its inner spindle with a relative motion between the vernier and the graduated scale of lower plate
- d) on its inner spindle without a relative motion between the vernier and the graduated scale of lower plate

Ans: c

35. A telescope is said to be inverted if its

- a) vertical circle is to its right and the bubble of the telescope is down
- b) vertical circle is to its right and the bubble of the telescope is up
- c) vertical circle is to its left and the bubble of the telescope is down
- d) vertical circle is to its left and the bubble of the telescope is up

Ans: a

36. The cross hairs in the surveying telescope are placed

- a) midway between eye piece and objective lens
- b) much closer to the eye-piece than to the objective lens
- c) much closer to the objective lens than to the eye piece
- d) anywhere between eye-piece and objective lens

Ans: b

37. For which of the following permanent adjustments of theodolite, the spire test is used ?

- a) adjustment of plate levels

- b) adjustment of line of sight
- c) adjustment of horizontal axis
- d) adjustment of altitude bubble and vertical index frame

Ans: c

38. The adjustment of horizontal cross hair is required particularly when the instrument is used for

- a) leveling
- b) prolonging a straight line
- c) measurement of horizontal angles
- d) all of the above

Ans: a

39. Which of the following errors is not eliminated by the method of repetition of horizontal angle measurement ?

- a) error due to eccentricity of verniers
- b) error due to displacement of station signals
- c) error due to wrong adjustment of line of collimation and trunnion axis
- d) error due to inaccurate graduation

Ans: b

40. The error due to eccentricity of inner and outer axes can be eliminated by

- a) reading both verniers and taking the mean of the two
- b) taking both face observations and taking the mean of the two
- c) double sighting
- d) taking mean of several readings distributed over different portions of the graduated circle

Ans: a

41. In the double application of principle of reversion, the apparent error is

- a) equal to true error
- b) half the true error
- c) two times the true error
- d) four times the true error

Ans: d

42. Which of the following errors can be eliminated by taking mean of bot face observations ?

- a) error due to imperfect graduations
- b) error due to eccentricity of verniers
- c) error due to imperfect adjustment of plate levels
- d) error due to line of collimation not being perpendicular to horizontal axis

Ans: d

43. Which of the following errors cannot be eliminated by taking both face observations ?

- a) error due to horizontal axis not being perpendicular to the vertical axis
- b) index error i.e. error due to imperfect adjustment of the vertical circle vernier
- c) error due to non-parallelism of the axis of telescope level and line of collimation
- d) none of the above

Ans: d

44. If a tripod settles in the interval that elapses between taking a back sight reading and the following foresight reading, then the elevation of turning point will

- a) increase
- b) decrease
- c) not change
- d) either 'a' or 'b'

Ans: a

45. If altitude bubble is provided both on index frame as well as on telescope of a theodolite, then the instrument is levelled with reference to

- i) altitude bubble on index frame**
- ii) altitude bubble on index frame if it is to be used as a level**
- iii) altitude bubble on telescope**
- iv) altitude bubble on telescope if it is to be used as a level**

The correct answer is

- a) only (i)
- b) both (i) and (iv)
- c) only (iii)
- d) both (ii) and (iii)

Ans: b

46. A level line is a

- a) horizontal line
- b) line parallel to the mean spheroidal surface of earth
- c) line passing through the center of cross hairs and the center of eye piece
- d) line passing through the objective lens and the eye-piece of a dumpy or tilting level

Ans: b

47. The following sights are taken on a “turning point”

- a) foresight only
- b) backsight only
- c) foresight and backsight
- d) foresight and intermediate sight

Ans: c

48. The rise and fall method of levelling provides a complete check on

- a) backsight
- b) intermediate sight
- c) foresight
- d) all of the above

Ans: d

49. If the R.L. of a B.M. is 100.00 m, the back-sight is 1.215 m and the foresight is 1.870 m, the R.L. of the forward station is

- a) 99.345 m
- b) 100.345 m
- c) 100.655m
- d) 101.870m

Ans: a

50. In an internal focussing type of telescope, the lens provided is

- a) concave
- b) convex
- c) plano-convex
- d) plano-concave

Ans: a

51. Which of the following errors can be neutralised by setting the level midway between the two stations ?

- a) error due to curvature only
- b) error due to refraction only
- c) error due to both curvature and re-refraction
- d) none of the above

Ans: c

52. Height of instrument method of levelling is

- a) more accurate than rise and fall method
- b) less accurate than rise and fall method
- c) quicker and less tedious for large number of intermediate sights
- d) none of the above

Ans: c

53. The rise and fall method

- a) is less accurate than height of instrument method
- b) is not suitable for levelling with tilting levels
- c) provides a check on the reduction of intermediate point levels
- d) quicker and less tedious for large number of intermediate sights

Ans: c

54. If the staff is not held vertical at a level-ling station, the reduced level calculated from the observation would be

- a) true R.L.
- b) more than true R.L.
- c) less than true R.L.
- d) none of the above

Ans: c

55. The difference between a level line and a horizontal line is that

- a) level line is a curved line while horizontal line is a straight line
- b) level line is normal to plumb line while horizontal line may not be normal to plumb line at the tangent point to level line
- c) horizontal line is normal to plumb line while level line may not be normal to the plumb line
- d) both are same

Ans: a

56. The sensitivity of a bubble tube can be increased by

- a) increasing the diameter of the tube
- b) decreasing the length of bubble
- c) increasing the viscosity of liquid
- d) decreasing the radius of curvature of tube

Ans: a

57. With the rise of temperature, the sensitivity of a bubble tube

- a) decreases
- b) increases
- c) remains unaffected
- d) none of the above

Ans: a

58. Refraction correction

- a) completely eliminates curvature correction
- b) partially eliminates curvature correction
- c) adds to the curvature correction
- d) has no effect on curvature correction

Ans: b

59. The R.L, of the point A which is on the floor is 100 m and back sight reading on A is 2.455 m. If the foresight reading on the point B which is on the ceiling is 2.745 m, the R.L. of point B will be

- a) 94.80 m
- b) 99.71 m
- c) 100.29 m
- d) 105.20 m

Ans: d

60. As applied to staff readings, the corrections for curvature and refraction are respectively

The above table shows a part of a level field book. The value of X should be

- a) 98.70
- b) 100.00
- c) 102.30
- d) 103.30

Ans: b

63. If the horizontal distance between the staff point and the point of observation is d , then the error due to curvature of earth is proportional to

- a) d
- b) $1/d$
- c) d^2
- d) $1/d^2$

Ans: c

64. Sensitiveness of a level tube is designated by

- a) radius of level tube
- b) length of level tube
- c) length of bubble of level tube
- d) none of the above

Ans: a

65. Which of the following statements is in-correct ?

- a) Error due to refraction may not be completely eliminated by reciprocal levelling.
- b) Tilting levels are commonly used for precision work.
- c) The last reading of levelling is always a foresight.
- d) All of the above statements are incorrect.

Ans: d

66. Dumpy level is most suitable when

- a) the instrument is to be shifted frequently
- b) fly levelling is being done over long distance
- c) many readings are to be taken from a single setting of the instrument
- d) all of the above

Ans: c

67. The difference of levels between two stations A and B is to be determined. For best results, the instrument station should be

- a) equidistant from A and B
- b) closer to the higher station
- c) closer to the lower station
- d) as far as possible from the line AB

Ans: a

68. Contour interval is

- a) inversely proportional to the scale of the map
- b) directly proportional to the flatness of ground
- c) larger for accurate works
- d) larger if the time available is more

Ans: a

69. An imaginary line lying throughout the surface of ground and preserving a constant inclination to the horizontal is known as

- a) contour line
- b) horizontal equivalent
- c) contour interval
- d) contour gradient

Ans: d

70. The suitable contour interval for a map with scale 1 : 10000 is

- a) 2 m
- b) 5m
- c) 10 m
- d) 20 m

Ans: a

71. Select the correct statement.

- a) A contour is not necessarily a closed curve.
- b) A contour represents a ridge line if the concave side of lower value con-tour lies towards the higher value contour.
- c) Two contours of different elevations do not cross each other except in case of an overhanging cliff.
- d) All of the above statements are correct.

Ans: c

72. A series of closely spaced contour lines represents a

- a) steep slope
- b) gentle slope
- c) uniform slope
- d) plane surface

Ans: a

73. Direct method of contouring is

- a) a quick method
- b) adopted for large surveys only
- c) most accurate method
- d) suitable for hilly terrains

Ans: c

74. In direct method of contouring, the process of locating or identifying points lying on a contour is called

- a) ranging
- b) centring
- c) horizontal control
- d) vertical control

Ans: d

75. In the cross-section method of indirect contouring, the spacing of cross-sections depends upon

- i) contour interval**
- ii) scale of plan**
- iii) characteristics of ground**

The correct answer is

- a) only (i)
- b) (i)and(ii)
- c) (ii) and (iii)
- d) (i), (ii) and (iii)

Ans: d

76. Which of the following methods of con-touring is most suitable for a hilly terrain ?

- a) direct method
- b) square method
- c) cross-sections method
- d) tacheometric method

Ans: d

77. Select the correct statement.

- a) Contour interval on any map is kept constant.
- b) Direct method of contouring is cheaper than indirect method.
- c) Inter-visibility of points on a contour map cannot be ascertained.
- d) Slope of a hill cannot be determined with the help of contours.

Ans: a

78. Closed contours, with higher value inwards, represent**a**

- a) depression
- b) hillock
- c) plain surface
- d) none of the above

Ans: b

79. Contour interval is

- a) the vertical distance between two consecutive contours
- b) the horizontal distance between two consecutive contours
- c) the vertical distance between two points on same contour
- d) the horizontal distance between two points on same contour

Ans: a

80. Benchmark is established by

- a) hypsometry
- b) barometric levelling
- c) spirit levelling
- d) trigonometrical levelling

Ans: c

81. The type of surveying which requires least office work is

- a) tachemefry
- b) trigonometrical levelling
- c) plane table surveying
- d) theodolite surveying

Ans: c

82. Intersection method of detailed plotting is most suitable for

- a) forests
- b) urban areas
- c) hilly areas
- d) plains

Ans: c

83. Detailed plotting is generally done by

- a) radiation
- b) traversing

- c) resection
- d) all of the above

Ans: a

84. Three point problem can be solved by

- a) Tracing paper method
- b) Bessels method
- c) Lehman's method
- d) all of the above

Ans: d

85. The size of a plane table is

- a) 750 mm x 900 mm
- b) 600 mm x 750 mm
- c) 450 mm x 600 mm
- d) 300 mm x 450 mm

Ans: b

86. The process of determining the locations of the instrument station by drawing re sectors from the locations of the known stations is called

- a) radiation
- b) intersection
- c) resection
- d) traversing

Ans: c

87. The instrument used for accurate centering in plane table survey is

- a) spirit level
- b) alidade
- c) plumbing fork
- d) trough compass

Ans: c

88. Which of the following methods of plane table surveying is used to locate the position of an inaccessible point ?

- a) radiation
- b) intersection
- c) traversing

d) resection

Ans: b

89. The two point problem and three point problem are methods of

a) resection

b) orientation

c) traversing

d) resection and orientation

Ans: d

90. The resection by two point problem as compared to three point problem

a) gives more accurate problem

b) takes less time

c) requires more labour

d) none of the above

Ans: c

91. The methods used for locating the plane table stations are

i) radiation

ii) traversing

iii) intersection

iv) resection

The correct answer is

a) (i) and (ii)

b) (iii) and (iv)

c) (ii) and (iv)

d) (i) and (iii)

Ans: c

92. After fixing the plane table to the tripod, the main operations which are needed at each plane table station are

i) levelling

ii) orientation

iii) centering

The correct sequence of these operations is

a) (i), (ii), (iii)

b) (i), (iii), (ii)

- c) (iii), (i), (ii)
- d) (ii), (Hi), (i)

Ans: b

93. Bowditch rule is applied to

- a) an open traverse for graphical adjustment
- b) a closed traverse for adjustment of closing error
- c) determine the effect of local attraction
- d) none of the above

Ans: b

94. If in a closed traverse, the sum of the north latitudes is more than the sum of the south latitudes and also the sum of west departures is more than the sum of the east departures, the bearing of the closing line is in the

- a) NE quadrant
- b) SE quadrant
- c) NW quadrant
- d) SW quadrant

Ans: b

95. If the reduced bearing of a line AB is $N60^\circ W$ and length is 100 m, then the latitude and departure respectively of the line AB will be

- a) +50 m, +86.6 m
- b) +86.6 m, -50 m
- c) +50m, -86.6 m
- d) +70.7 m, -50 m

Ans: b

96. The angle between the prolongation of the preceding line and the forward line of a traverse is called

- a) deflection angle
- b) included angle
- c) direct angle
- d) none of the above

Ans: a

97. Transit rule of adjusting the consecutive coordinates of a traverse is used where

- a) linear and angular measurements of the traverse are of equal

accuracy

- b) angular measurements are more accurate than linear measurements
- c) linear measurements are more accurate than angular measurements
- d) all of the above

Ans: b

98. Which of the following methods of theodolite traversing is suitable for locating the details which are far away from transit stations ?

- a) measuring angle and distance from one transit station
- b) measuring angles to the point from at least two stations
- c) measuring angle at one station and distance from other
- d) measuring distance from two points on traverse line

Ans: b

99. Subtense bar is an instrument used for

- a) levelling
- b) measurement of horizontal distances in plane areas
- c) measurement of horizontal distances in undulated areas
- d) measurement of angles

Ans: c

100. Horizontal distances obtained by thermometric observations

- a) require slope correction
- b) require tension correction
- c) require slope and tension corrections
- d) do not require slope and tension corrections

Ans: d

101. The number of horizontal cross wires in a stadia diaphragm is

- a) one
- b) two
- c) three
- d) four

Ans: c

102. If the intercept on a vertical staff is observed as 0.75 m from a tacheometer, the horizontal distance between tacheometer and staff station is

- a) 7.5 m
- b) 25 m
- c) 50
- d) 75 m

Ans: d

103. For a tacheometer the additive and multi-plying constants are respectively

- a) 0 and 100
- b) 100 and 0
- c) 0 and 0
- d) 100 and 100

Ans: a

104. If the focal length of the object glass is 25 cm and the distance from object glass to the trunnion axis is 15 cm, the additive constant is

- a) 0.1
- b) 0.4
- c) 0.6
- d) 1.33

Ans: b

105. Overturning of vehicles on a curve can be avoided by using

- a) compound curve
- b) vertical curve
- c) reverse curve
- d) transition curve

Ans: d

106. Different grades are joined together by a

- a) compound curve
- b) transition curve
- c) reverse curve
- d) vertical curve

Ans: d

SURVEYING Objective type Questions and Answers pdf free download ::

28 THOUGHTS ON “300+ TOP MOST SURVEYING INTERVIEW QUESTIONS AND ANSWERS – CIVIL ENGINEERING OBJECTIVE TYPE QUESTIONS”



Abdulqudus

FEBRUARY 27, 2017 AT 6:15 PM

Very excellent work piece. Can you please send this to my email.

abdulqudussunmonu@gmail.com

[REPLY](#)

rajeev kumar kewat

FEBRUARY 12, 2017 AT 4:33 AM

thnks a lot

[REPLY](#)

krishnakant barman

JANUARY 19, 2017 AT 9:31 PM

sir please send me surveyor question may mail please
please please please sir

[REPLY](#)

DEBRAJ

JANUARY 10, 2017 AT 1:38 PM

Sir,

please mail survey question and answer pdf files.
thanks.

[REPLY](#)

ashu

JANUARY 5, 2017 AT 8:49 PM

Hey if u have a pdf file of survey questions please it send
me on my gmail ashutoshderwal218@gmail.com

[REPLY](#)

Amir khan

DECEMBER 9, 2016 AT 2:32 AM

Very nice thanks.

[REPLY](#)

amare

DECEMBER 9, 2016 AT 2:17 AM

it'a good information....thanks

[REPLY](#)

patel kush k

DECEMBER 2, 2016 AT 7:59 AM

very helpfull thanks

plz send me this pdf

[REPLY](#)

Subhash Gurung

OCTOBER 31, 2016 AT 12:48 AM

Very good questions...Plz Sir send these questions to my email..

[REPLY](#)

sagar s biradar

AUGUST 27, 2016 AT 5:23 AM

thanks for such a valuable information please send this information, questios on my e mail

[REPLY](#)

Kuldeep Kapoor

AUGUST 20, 2016 AT 3:43 PM

Sir plz send this question paper

[REPLY](#)

Ram

AUGUST 19, 2016 AT 12:55 PM

Excellent Mail me the pdf file

[REPLY](#)

Soumyendra Nath Basu

AUGUST 14, 2016 AT 10:43 AM

Excellent work. Will you please send the Questions & Answers in my mail address?

Regards,

[REPLY](#)

ishant

AUGUST 4, 2016 AT 4:26 PM

plz mail these questions along with answers

[REPLY](#)

rahul verma

JULY 25, 2016 AT 6:34 PM

Which method is more accurate in plain table and chain survey

[REPLY](#)

rahul verma

JULY 25, 2016 AT 6:31 PM

Which method more accurate in plane table and chain survey...

[REPLY](#)

pramod s

JULY 25, 2016 AT 1:06 PM

Dear sir pls send this question paper

[REPLY](#)

 **bibhu**

JULY 3, 2016 AT 2:42 AM

Sir please mail the pdf file

[REPLY](#)

 **shubham**

JULY 1, 2016 AT 7:12 PM

information is very good for preparation..
will you plz send its pdf file at my mail-id..
i will be thankful to you


[REPLY](#)

 **rakesh chandra chouhan**

JUNE 1, 2016 AT 11:28 AM

SIR, PLEASE SEND ME THIS QUESTIONS WITH
ANS. ON MY MAIL

[REPLY](#)

 **shakib**

MAY 31, 2016 AT 5:25 AM

thanks a lot.....


[REPLY](#)

 **habib**

MAY 29, 2016 AT 4:39 PM

very nice

[REPLY](#)

 **MAHESH KUMAR GUNDLAPALLI**

MAY 8, 2016 AT 5:23 AM

please send this answers to my email.....

gmalesh290@gmail.com

[REPLY](#)

NABIN CHANDRA DAS from msd

MARCH 31, 2016 AT 9:18 AM

Very good job

[REPLY](#)

ranjit

APRIL 20, 2016 AT 3:46 PM

Sir plz send me this questions

ranjitbhutekar05@gmail.com

[REPLY](#)

ravinder

JANUARY 18, 2017 AT 2:03 PM

pls send me all pdf
on rbhlethu@gmail.com

[REPLY](#)

vrvagadia

MARCH 30, 2016 AT 3:14 AM

Very good information for teaching work

[REPLY](#)

kuldeep singh paikra

JUNE 29, 2016 AT 6:18 AM

Thanx

[REPLY](#)

LEAVE A REPLY

Your email address will not be published. Required fields are marked *

Comment

Name *

Email *

Website

Copyright 2020 , Engineering Interview Questions.com , Theme by [Engineering](#) | [Privacy Policy](#) | [Terms and Conditions](#) | [ABOUT US](#) | [Contact US](#) |

Engineering interview questions, Mcqs, Objective Questions, Class Lecture Notes, Seminar topics, Lab Viva Pdf PPT Doc Book free download. Most Asked Technical Basic CIVIL | Mechanical | CSE | EEE | ECE | IT | Chemical | Medical MBBS Jobs Online Quiz Tests for Freshers Experienced.